

HOW TO READ OUR DRUG FACTS LABEL

TYLENOL® EXTRA STRENGTH Caplets

TYLENOL®
Acetaminophen

Active Ingredient

An active ingredient is the chemical compound in the medicine that provides the therapeutic effect. It can always be found as the first item on the label.

Drug Facts

Active ingredient (in each caplet)	Purpose
Acetaminophen 500 mg.....	Pain reliever/fever reducer

Uses temporarily relieves minor aches and pains due to:

- headache
- muscular aches
- backache
- arthritis
- the common cold
- toothache
- menstrual cramps
- temporarily reduces fever

Uses

Sometimes also referred to as indications, this section tells you the symptoms the medicine is approved to treat.

Warnings

Alcohol warning: If you consume 3 or more alcoholic drinks every day, ask your doctor whether you should take acetaminophen or other pain relievers/fever reducers. Acetaminophen may cause liver damage.

Do not use

- with any other product containing acetaminophen

Stop use and ask doctor if:

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Warnings

This section will tell you what other medications or situations to avoid when taking this medication.

Directions

The recommended daily dose and frequency of dosing will be listed here. You should follow this strictly. It's not just how much you take, but also how often.

Directions

- do not take more than directed (see overdose warning)

adults and children 12 years and over	■ take 2 caplets every 4 to 6 hours ■ do not take more than 8 caplets in 24 hours
children under 12 years	do not use this adult Extra Strength product in children under 12 years of age; this will provide more than the recommended dose (overdose) of TYLENOL® and may cause liver damage

Other information

- do not use if pouch is opened
- store between 20-25°C (68-77°F)
- see end panel for lot number and expiration date

Other Information

Any other important information about the product, such as how to store the medicine, will be listed in this section.

Inactive Ingredients

Inactive ingredients are chemical compounds in the medicine that are necessary for product formulation. They include colors (dyes), flavors, preservatives, lubricant and binders.

Inactive ingredients

canaba wax, castor oil, cellulose, corn starch, FD&C red #40, hypromellose, magnesium stearate, sodium starch glycolate, titanium dioxide

Questions or comments?

Call toll-free 1-877-895-3665 (English) or 1-888-466-8746 (Spanish).

Remember: do not take more than one product containing acetaminophen at the same time.

